Ponto[™] **System** Product Catalogue



Choose PontoChoose Ponto







Contents

Surg	ical Components	4
	Ponto BHX implants (Ø 4.5 mm)	4
	Wide implants (Ø 4.5 mm)	5
	Ponto abutments & cover screw	6
Surg	ical Instruments & Equipment	
	Disposable instruments	7
	Equipment	8
	Non-disposable instruments	8
	Ponto implants countersink guide 4 mm	10
	Minimally invasive Ponto procedure 4 mm	10
	Ponto implants countersink guide 3 mm	11
	Minimally invasive Ponto procedure 3 mm	11
Sour	nd Processors	13
Jour	Ponto 5 SuperPower	
	Ponto 5 Mini	
	Ponto 4	
	Ponto 3 SuperPower	
	Ponto 3 Power	
	Ponto 3.	
	1 01110 3	. 1/
Acce	ssories	. 18
	Connectivity for Ponto 4 and Ponto 5 family	. 18
	Connectivity for the Ponto 3 family	. 19
	Care & maintenance	20
	Miscellaneous	. 21
	Stickers and skins for Ponto 4 and Ponto 5 family	22
	Stickers and skins for the Ponto 3 family	. 22
	Softbands & Ponto SoundConnector™	24
	Display	28
	Test	29
Fittir	ng & Verification	30
	Software	30
	Skull simulator	30

Surgical Components

All Ponto implants are of the wide 4.5 mm diameter design, with the same universal implant-abutment interface and are therefore fully compatible with existing instruments and abutments.

All surgical components are delivered sterile. All abutments have interface enabling implant stability measurements using resonance frequency analysis.

Ponto BHX implants (\varnothing 4.5 mm)



M52166

Ponto BHX implant, 3 mm, with abutment, 6 mm

The Ponto BHX implant, 3 mm, with a 6 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M52167

Ponto BHX implant, 3 mm, with abutment, 9 mm

The Ponto BHX implant, 3 mm, with a 9 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M52168

Ponto BHX implant, 4 mm, with abutment, 6 mm

The Ponto BHX implant, 4 mm, with a 6 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M52169

Ponto BHX implant, 4 mm, with abutment, 9 mm

The Ponto BHX implant, 4 mm, with a 9 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M52170

Ponto BHX implant, 4 mm, with abutment, 12 mm

The Ponto BHX implant, 4 mm, with a 12 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M52171

Ponto BHX implant, 4 mm, with abutment, 14 mm

The Ponto BHX implant, 4 mm, with a 14 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M52172

Ponto BHX implant, 3 mm

The Ponto BHX implant, 3 mm, with a pre-mounted implant adapter is used in the two-stage surgical procedure in case of insufficient bone depth for the 4 mm implant. The implant adapter is a disposable item that is removed after implant insertion.



M52173

Ponto BHX implant, 4 mm

The Ponto BHX implant, 4 mm, with a pre-mounted implant adapter is used in the two-stage surgical procedure. The implant adapter is a disposable item that is removed after implant insertion.

Wide implants (∅ 4.5 mm)



M51140 Wide implant, 3 mm, with abutment, 6 mm

The Wide implant, 3 mm, with a 6 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M51141 Wide implant, 3 mm, with abutment, 9 mm

The Wide implant, 3 mm, with a 9 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M51136 Wide implant, 4 mm, with abutment, 6 mm

The Wide implant, 4 mm, with a 6 mm pre-mounted abutment is used in the singlestage surgical procedure and consists of implant, abutment and connection screw.



M51137 Wide implant, 4 mm, with abutment, 9 mm

The Wide implant, 4 mm, with a 9 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M51138
Wide implant, 4 mm,
with abutment, 12 mm

The Wide implant, 4 mm, with a 12 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M52065 Wide implant, 4 mm, with abutment, 14 mm

The Wide implant, 4 mm, with a 14 mm pre-mounted abutment is used in the single-stage surgical procedure and consists of implant, abutment and connection screw.



M51142 Wide implant, 3 mm

The Wide implant, 3 mm, with a pre-mounted implant adapter is used in the two-stage surgical procedure in case of insufficient bone depth for the 4 mm implant. The implant adapter is a disposable item that is removed after implant insertion.



M51139 Wide implant, 4 mm

The Wide implant, 4 mm, with a pre-mounted implant adapter is used in the two-stage surgical procedure. The implant adapter is a disposable item that is removed after implant insertion.

Ponto abutments & cover screw



M50349 Abutment, 6 mm

The abutment, 6 mm, is delivered with a connection screw.



M50318 Abutment, 9 mm

The abutment, 9 mm, is delivered with a connection screw.



M51149 Abutment, 12 mm

The abutment, 12 mm, is delivered with a connection screw.



M52063 Abutment, 14 mm

The abutment, 14 mm, is delivered with a connection screw.



M50098 Cover screw hexagon

The cover screw hexagon is used in the two-stage surgical procedure or when a sleeper implant is placed. It is designed to cover the whole upper side of the implant flange and thereby safely protect the implant.

Surgical Instruments & Equipment

The disposable instruments are delivered sterile. All the drill shafts are between 26 and 30 mm long to facilitate correct orientation of the drill during the drilling procedure.

Disposable instruments

*====	M50287 Guide drill, 3–4 mm	The guide drill has a removable spacer to allow drilling for placement of either 3 or 4 mm implants. The guide drill is used in combination with the wide countersinks.
4	M51144 Wide countersink, 3 mm	The wide countersink, 3 mm, is used after the initial guide drilling. It is designed to prevent countersinking of more than 0.3 mm and it creates a virtually invisible recess. The drill is marked with a W to indicate use with the Ponto implants with the wide 4.5 mm diameter design.
	M51122 Wide countersink, 4 mm	The wide countersink, 4 mm, is used after the initial guide drilling. It is designed to prevent countersinking of more than 0.3 mm and it creates a virtually invisible recess. The drill is marked with a W to indicate use with the Ponto implants with the wide 4.5 mm diameter design.
	M52080 Soft healing cap	The soft healing cap has a diameter of 26 mm, and holds the dressing in place while acting as protective mechanical barrier.
©	M50821 Healing cap	The healing cap has a diameter of 26 mm, and holds the dressing in place while acting as protective mechanical barrier.
	220701 MONO Surgery kit	The MONO Surgery kit is used in the MONO procedure for single-stage installation of 4 mm Ponto implants with the wide 4.5 mm diameter design. The kit consists of cannula, MONO drill, insertion indicator and soft healing cap.
	192232 MIPS Surgery kit, 4 mm	The MIPS Surgery kit, 4 mm, is used in the MIPS single-stage procedure for installation of 4 mm Ponto implants with the wide 4.5 mm diameter design. The kit consists of cannula, cannula guide drill, cannula widening drill, 4 mm, insertion indicator and soft healing cap.
	192233 MIPS Back-up kit, 3 mm	The MIPS Back-up kit, 3 mm, is used in the MIPS single-stage procedure for installation of 3 mm Ponto implants with the wide 4.5 mm diameter design, as back-up in case of insufficient bone depth for the 4 mm implant. The kit consists of cannula and cannula widening drill, 3 mm.

Equipment

Drilling equipment

It is important that the correct type of drilling equipment is used during the surgical procedure. The unit should be able to carry out the drilling with a drill bit speed of 1500–2000 rpm as well as the implant installation on a low speed setting, 15 rpm, and a torque setting between 10-50 Ncm depending on the bone quality. See Surgical Manual for correct settings and procedure.

We recommend the Implantmed drive unit supplied by W&H (www.wh.com) with the contra-angle handpiece 20:1. Please contact your local sales representative for more information.



Non-disposable instruments



M52074 Sterilization cassette

The sterilization cassette holds instruments in place during sterilization.



M52114 Silicone parts, sterilization cassette

Silicone spare parts kit for M52074.



M51690 Counter torque wrench

The counter torque wrench is used for counteracting the force when tightening or unscrewing the connection screw using the screwdriver. The counter torque wrench is also used for manual tightening in the single-stage procedure if needed.



M50230 Torque wrench

The torque wrench, scale 10-35 Ncm, is used to secure the correct torque when tightening the connection screw. It is used together with the handle with screwdriver.



M52143 Ruler

The ruler is used to assist in the selection of abutment length by providing a comparative guide between tissue thickness and Ponto abutment length.

	M52196 Double-ended dissector	The double-ended dissector is used for dissection and removal of the periosteum. The blunt side is also used for inspection of bone.
-	M50437 Handle with screwdriver	The handle with screwdriver has replaceable bits and can be used together with the torque wrench. It is delivered with one screwdriver machine bit.
	M50384 Screwdriver, machine, 35 mm	The screwdriver machine bit can be used with both the handle with screwdriver and the drill equipment handpiece. The bit fits all the abutment connection screws and the implant adapter screws. The shaft is fitted according to ISO 1797-1.
1	M51695 Abutment inserter, machine	The abutment inserter is used during the single-stage surgical procedure for inserting the implant with the pre-mounted abutment, using the drill equipment. The shaft has a hexagonal collar with a shaft fitted according to ISO 1797-1.
	M50386 Square fit connection, machine	The square fit connection is used for inserting the 3 and 4 mm implant with the pre-mounted implant adapter, using the drill equipment. The shaft is fitted according to ISO 1797-1.
	M50428 Sound processor indicator	The sound processor indicator is used on intact skin to illustrate the size of a sound processor in order to assess and enable marking of the appropriate implant site prior to incision.
	M50534 Screwdriver hexagon	The screwdriver hexagon is used for connecting and disconnecting the cover screw.

Ponto implants countersink guide 4 mm

M51122

4 mm

Wide countersink,

Ponto implant, 4 mm (∅ 4.5) Countersink

M51139

Wide implant, 4 mm

M52173

Ponto BHX implant, 4 mm

M51136

Wide implant, 4 mm, with abutment, 6 mm

M51137

Wide implant, 4 mm, with abutment, 9 mm

M51138

Wide implant, 4 mm, with abutment, 12 mm

M52065

Wide implant, 4 mm, with abutment, 14 mm

M52168

Ponto BHX implant, 4 mm, with abutment, 6 mm

M52169

Ponto BHX implant, 4 mm, with abutment, 9 mm

M52170

Ponto BHX implant, 4 mm, with abutment, 12 mm

M52171

Ponto BHX implant, 4 mm, with abutment, 14 mm

Minimally invasive Ponto procedure 4 mm

Ponto implant, 4 mm (∅ 4.5) Drill guide

M51136

Wide implant, 4 mm, with abutment, 6 mm

M51137

Wide implant, 4 mm, with abutment, 9 mm

M51138

Wide implant, 4 mm, with abutment, 12 mm

M52065

Wide implant, 4 mm, with abutment, 14 mm

M52168

Ponto BHX implant, 4 mm, with abutment, 6 mm

M52169

Ponto BHX implant, 4 mm, with abutment, 9 mm

M52170

Ponto BHX implant, 4 mm, with abutment, 12 mm

M52171

Ponto BHX implant, 4 mm, with abutment, 14 mm

220701

MONO Surgery kit containing cannula, MONO drill, insertion indicator and soft healing cap

192232

MIPS Surgery kit, 4 mm, containing cannula, cannula guide drill, cannula widening drill, 4 mm, insertion indicator and soft healing cap

Ponto implants countersink guide 3 mm

Ponto implant, 3 mm (Ø 4.5)	Countersink
M51142 Wide implant, 3 mm	
M52172 Ponto BHX implant, 3 mm	
M51140 Wide implant, 3 mm, with abutment, 6 mm	
M51141 Wide implant, 3 mm, with abutment, 9 mm	M51144 Wide countersink, 3 mm
M52166 Ponto BHX implant, 3 mm, with abutment, 6 mm	
M52167 Ponto BHX implant, 3 mm, with abutment, 9 mm	

Minimally invasive Ponto procedure 3 mm

*	•
Ponto implant, 3 mm (\varnothing 4.5)	Drill guide
M51140 Wide implant, 3 mm, with abutment, 6 mm	
M51141 Wide implant, 3 mm, with abutment, 9 mm	192233* MIPS Back-up kit, 3 mm, containing cannula and cannula widening drill, 3 mm
M52166 Ponto BHX implant, 3 mm, with abutment, 6 mm	192232* MIPS Surgery kit, 4 mm, containing cannula,
M52167 Ponto BHX implant, 3 mm, with abutment, 9 mm	cannula guide drill, cannula widening drill, 4 mm, insertion indicator and soft healing cap
	*Both 192233 and 192232 are needed to perform MIPS surgery with a 3 mm implant

Sound Processors

Ponto 5 SuperPower

Colour versions:



223161 Ponto 5 SuperPower, SIL Silver CO44



223162 Ponto 5 SuperPower, CBE Chroma Beige CO90



223163 Ponto 5 SuperPower, TC Terracotta CO94



223164 Ponto 5 SuperPower, CNB Chestnut Brown CO93



223165 Ponto 5 SuperPower, STG Steel Grey CO92



223166 Ponto 5 SuperPower, DBL Diamond Black CO63

Ponto 5 SuperPower demo



227043 Ponto 5 SuperPower demo, DBL Diamond Black

Ponto 5 Mini

Colour versions: 223155 Ponto 5 Mini, SIL Silver CO44 223156 Ponto 5 Mini, CBE Chroma Beige CO90 223157 Ponto 5 Mini, TC Terracotta CO94 223158 Ponto 5 Mini, CNB Chestnut Brown CO93 223159 Ponto 5 Mini, STG Steel Grey CO92 223160 Ponto 5 Mini, DBL Diamond Black CO63 Ponto 5 Mini demo

227042

Ponto 5 Mini demo, DBL Diamond Black

Ponto 4

Colour versions:



186779Ponto 4, SIL
Silver CO44



186777 Ponto 4, CBE Chroma Beige CO90



186778 Ponto 4, TC Terracotta CO94



186781 Ponto 4, CNB Chestnut Brown CO93



186780 Ponto 4, STG Steel Grey CO92



186782 Ponto 4, DBL Diamond Black CO63

Ponto 4 demo



201386 Ponto 4 demo Terracotta

Ponto 3 SuperPower Left Right Colour versions and left / right version: M52658 M52659 Ponto 3 SuperPower, left, Ponto 3 SuperPower, right, Pure White Pure White M52654 M52655 Ponto 3 SuperPower, left, Ponto 3 SuperPower, right, White Silver White Silver M52652 M52653 Ponto 3 SuperPower, left, Ponto 3 SuperPower, right, Chroma Beige Chroma Beige M52650 M52651 Ponto 3 SuperPower, left, Ponto 3 SuperPower, right, Mocca Brown Mocca Brown M52656 M52657 Ponto 3 SuperPower, left, Ponto 3 SuperPower, right, Steel Grey Steel Grey M52648 M52649 Ponto 3 SuperPower, left, Ponto 3 SuperPower, right, Diamond Black Diamond Black Ponto 3 SuperPower demos M52660 M52661 Ponto 3 SuperPower demo, left, Ponto 3 SuperPower demo, right,

Chroma Beige

Chroma Beige

Ponto 3 Power

Left Right Colour versions and left / right version: M52644 M52645 Ponto 3 Power, left Ponto 3 Power, right Pure White Pure White M52640 M52641 Ponto 3 Power, right Ponto 3 Power, left White Silver White Silver M52638 M52639 Ponto 3 Power, left Ponto 3 Power, right Chroma Beige Chroma Beige M52636 M52637 Ponto 3 Power, left Ponto 3 Power, right Mocca Brown Mocca Brown M52642 M52643 Ponto 3 Power, left Ponto 3 Power, right Steel Grey Steel Grey M52634 M52635 Ponto 3 Power, left Ponto 3 Power, right Diamond Black Diamond Black

Ponto 3			
Left	Right	Colour versions and left / ri	ght version:
		M52630 Ponto 3, left Pure White	M52631 Ponto 3, right Pure White
		M52626 Ponto 3, left White Silver	M52627 Ponto 3, right White Silver
		M52624 Ponto 3, left Chroma Beige	M52625 Ponto 3, right Chroma Beige
		M52622 Ponto 3, left Mocca Brown	M52623 Ponto 3, right Mocca Brown
		M52628 Ponto 3, left Steel Grey	M52629 Ponto 3, right Steel Grey
		M52620 Ponto 3, left Diamond Black	M52621 Ponto 3, right Diamond Black
Ponto 3 demos			
DEMO	DEMO	M52632 Ponto 3 demo, left Chroma Beige	M52633 Ponto 3 demo, right Chroma Beige

Accessories

The Ponto System offers a wide range of accessories for specific patient requirements as well as for evaluation and testing situations.

Connectivity for Ponto 4 and Ponto 5 family



178509 ConnectClip

ConnectClip combines a Bluetooth headset and a microphone in one. It is a small device compatible with the Ponto 4 and Ponto 5 sound processors. ConnectClip streams sound directly from a wireless device, e.g. a smartphone, to the sound processor in high quality while also functioning as a wireless microphone and remote control.*

ConnectClip is a SBO Hearing A/S product.



169229

Remote Control 3.0 offers discreet and easy control over the Ponto 4 and Ponto 5 sound processors. Use it to adjust volume, change programmes or Remote Control 3.0 mute your devices.*

The Remote Control 3.0 is a SBO Hearing A/S product.



168628

TV Adapter 3.0

TV adapter 3.0 connects the Ponto 4 and Ponto 5 sound processors with the TV for wireless streaming of the TV sound directly to the sound processor.*

The TV Adapter 3.0 is a SBO Hearing A/S product.



191009

EduMic

EduMic is an educational solution which allows teachers to stream voice directly to several hearing device users in a classroom.

EduMic is an Oticon A/S product.



Oticon ON app

Download the free app from the App Store® or on Google Play™.

The Oticon ON app is an Oticon A/S product.



Oticon RemoteCare app

Download the free app from the App Store® or on Google Play™.

The Oticon RemoteCare app is a SBO Hearing A/S product.





Apple, the Apple logo, iPhone, iPad, and iPod touch are trademarks of Apple Inc., registered in the US and other countries. App store is a service mark of Apple Inc. Android, Google Play, and the Google Play logo are trademarks of Google LLC.

Connectivity for the Ponto 3 family



124771 ConnectLine TV Adapter 2.0

The ConnectLine TV adapter can be connected to a TV and can transmit the TV sound to the sound processor via the Oticon Medical Streamer.

Only through the Oticon Medical Streamer.*

The ConnectLine TV Adapter 2.0 is an Oticon A/S product.



155372 Oticon Medical Streamer, black

155373 Oticon Medical Streamer, white The Oticon Medical Streamer is a gateway to a range of different electronic devices. Different audio sources can be transmitted through the Oticon Medical Streamer to your sound processor. The Oticon Medical Streamer can also be used as a remote control to adjust the volume and change the programme in the sound processor.

The Oticon Medical Streamer is an Oticon A/S product.



108402 ConnectLine Microphone

The ConnectLine Microphone is a discreet clip-on microphone that can connect wirelessly to the Oticon Medical Streamer, allowing the conversation partner's voice to be heard in the sound processor.

Only through the Oticon Medical Streamer.*

The ConnectLine Microphone is an Oticon A/S product.



ConnectLine Phone Adapter 2.0

128812 US version

127837 EU version

The ConnectLine Phone Adapter 2.0 can be connected to a telephone (private/domestic analogue) and can transmit the sound from the telephone to the sound processor via the Oticon Medical Streamer. In this way, the sound processor, in combination with the Oticon Medical Streamer, is turned into a wireless headset.

Only through the Oticon Medical Streamer for the Ponto 3 family. For Ponto 4 and Ponto 5, ConnectClip connects the sound processor to the ConnectLine Phone Adapter.*

The ConnectLine Phone Adapter is an Oticon A/S product.



FM receiver

140-06-200-00 169-187 MHz **140-06-300-00** 216-218 MHz The Oticon Amigo R2 can be used with the Oticon Medical Streamer. With this multi-channel FM receiver, the user can benefit from the advanced solutions offered by the Amigo receiver and transmitters.

Only through the Oticon Medical Streamer for the Ponto 3 family. For Ponto 4 and Ponto 5, EduMic connects the sound processor to FM systems.*

The Oticon Amigo R2 is an Oticon A/S product.



Oticon ConnectLine app

Download the free app from the App Store® or on Google Play™.

 $The\ Oticon\ Connect Line\ app\ is\ an\ Oticon\ A/S\ product.$

Care & maintenance



890-01-156-06Drying tub

The drying tub from Oticon can be used with a drying capsule to dry the sound processor, mainly in countries with high humidity.*

The drying tub is an Oticon A/S product.



784-40-001-06 Drying capsules (pack of 6 pcs)

The drying capsules from Oticon can be used with the drying tub to dry the sound processor, mainly in countries with high humidity.*

The drying capsules are Oticon A/S products.



M50294
Abutment cover, black
M50290
Abutment cover, beige

The abutment cover is used to cover the abutment when the sound processor is not connected.



The cleaning brush is used to clean the outside and inside of the abutment.



The Ponto Care kit can be used to facilitate cleaning of the Ponto System and to establish a good daily aftercare routine.



173365 Safety line

M51177

Ponto Care kit

The safety line may be attached to the sound processor and the patient's clothing to reduce risk of loss or damage after initial fitting or during physical activity. The safety line features an elastic line and a retention clip, all in a transparent and discreet design.



890-60-232-00MultiTool

The MultiTool is used for opening and closing the tamper-resistant lock on Ponto 5 SuperPower and on the Ponto 3 family devices. The MultiTool can also be used for removing the battery from the sound processors.

The MultiTool is an Oticon A/S product.

Miscellaneous







Plug kit, Ponto 5 SuperPower

204265

Plug kit, Ponto 5 Mini and Ponto 4 The plug kit contains plugs for covering the programming socket and for side indication.

Each kit contains three blue, three red and three black plugs.



226557

Battery drawer kit, Ponto 5 SuperPower

204269

Battery drawer kit, Nailgrip Ponto 4 and Ponto 5 Mini

204268

Battery drawer kit, Tamper-resistant Ponto 4 and Ponto 5 Mini The kits for Ponto 4 and Ponto 5 Mini come in a nailgrip and in a tamper-resistant version. The battery drawers for Ponto 5 SuperPower only come in one version with a built-in tamper-resistant mechanism.

Each kit contains three battery drawers and a tool for removing the drawer.



165593

TAR tool

A tool for opening the tamper-resistant battery drawer on Ponto 4 and Ponto 5 $\operatorname{\mathsf{Mini}}$.

Stickers and skins for Ponto 4 and Ponto 5 family



197957 Stickers

The adhesive stickers can easily be applied to the sound processor to customise its appearance.





234062

Skin, Ponto Mini, turquoise/pink

225096

Skin, Ponto 5 SuperPower, turquoise/pink

206535

Skin, Ponto Mini, red/yellow

225097

Skin, Ponto 5 SuperPower, red/yellow

234063

Skin, Ponto Mini, light green/navy blue

225098

Skin, Ponto 5 SuperPower, light green/navy blue

234064

Skin, Ponto Mini, light blue/dark purple

225099

Skin, Ponto 5 SuperPower, light blue/dark purple

The skin can be easily placed on the sound processor to change the appearance. Each set consists of six skins in two colours, three of each colour. The skins for Ponto Mini fit both Ponto 4 and Ponto 5 Mini.

Stickers and skins for the Ponto 3 family





M52857

Stickers for regular processors, right

M52858

Stickers for regular processors, left

M52859

Stickers for Power and SuperPower processors, right

M52860

Stickers for Power and SuperPower processors, left

The adhesive stickers can be easily applied to the sound processor to customise its appearance.



M52561

Skins for regular processors, right

M52562

Skins for regular processors, left



M52563

Skins for Power and SuperPower processors, right

M52564

Skins for Power and SuperPower processors, left

The skin can be easily placed on the sound processor to change the appearance. Each set consists of five skins in different colours: cerise, turquoise, orange, navy blue and yellow.



M51844

Skins for regular processors, right

M51845

 $Skins\ for\ regular\ processors,\ left$

M51846

Skins for Power and SuperPower processors, right

M51847

Skins for Power and SuperPower processors, left

The skin can be easily placed on the sound processor to change the appearance. Each set consists of five skins in different colours: pink, green, red, light blue and purple.



Accessories

Softbands & Ponto SoundConnector™

The Softband is intended for users who have not had implant surgery but can benefit from a bone conduction solution. The Softband consists of an adjustable elastic band with one or two Connectors for the sound processor(s). It has a safety release feature, designed to open if it gets caught.

The Softbands are available for unilateral and bilateral use. Softband 5 comes in two sizes - XS/S and M/L. Each Softband pack contains Connector Pads - three Connector Pads for the unilateral band and six Connector Pads for the bilateral bands.

Softband 5, unilateral XS/S



Softband 5, unilateral



227690 Softband 5, unilateral XS/S black

227691 Softband 5, unilateral XS/S dark brown

227692 Softband 5, unilateral XS/S light brown

227693 Softband 5, unilateral XS/S beige

227694 Softband 5, unilateral XS/S light blue

227695 Softband 5, unilateral XS/S pink

227696 Softband 5, unilateral XS/S navy blue

227697 Softband 5, unilateral XS/S red

227686 Softband 5, unilateral M/L black

227687 Softband 5, unilateral M/L dark brown

227688 Softband 5, unilateral M/L light brown

227689 Softband 5, unilateral M/L beige


226779

Connector Pad set (pack of 20 pcs)

Connector Pads are used with Softband 5 for wearing comfort and to optimise fit and transmission.



Softband 5, bilateral XS/S








227702 Softband 5, bilateral XS/S black
227703 Softband 5, bilateral XS/S dark brown
227704 Softband 5, bilateral XS/S light brown
227705 Softband 5, bilateral XS/S beige
227706 Softband 5, bilateral XS/S light blue
227707 Softband 5, bilateral XS/S pink
227708 Softband 5, bilateral XS/S navy blue
227709 Softband 5, bilateral XS/S red







173391 Ponto SoundConnector

The Ponto SoundConnector allows users to use their Ponto sound processor with alternative headwear.

oft band	Soft band, bilateral	
M50551 Soft band, pink	M50734 Soft band, bilateral, pink	
M50612 Soft band, blue	M50735 Soft band, bilateral, blue	
M50637 Soft band, black	M50736 Soft band, bilateral, black	
M50638 Soft band, beige	M50737 Soft band, bilateral, beige	
M50639 Soft band, navy blue	M50738 Soft band, bilateral, navy blue	
M50640 Soft band, red	M50739 Soft band, bilateral, red	

Accessories

Display



231636
Ponto Trial Layer
Demonstration case

A demonstration case layer featuring the Ponto offer and accessories. Look-a-like products are included for ConnectClip and sound processors, but demo sound processors, test band/head band and Softband need to be ordered separately. The layer comes with a grey smart cover protecting the case.



207702 Ponto 4 layer Demonstration case

A demonstration case layer featuring the Ponto 4 offer. A ConnectClip look-a-like is included, but demo sound processors and implant/abutment need to be ordered separately.



188564
Ponto Demo stand with abutment

An ear model with a Ponto abutment to which you can connect the sound processor. The model is made in transparent polymer and branded Oticon Medical. Sound processor needs to be ordered separately.



M50462 Test stand

The test stand has a removable test rod that can be used to demonstrate and practise connection and disconnection of the Ponto sound processors.



226485

Ponto 5 SuperPower sample (Diamond Black)

226486

Ponto 5 Mini sample (Diamond Black)

201341

Ponto 4 sample (Terracotta)

The Ponto sound processor samples with coupling can be used to demonstrate and practise connection and disconnection of the sound processors.



179435

Keyring, Ponto Softband colours The keyring with Oticon Medical logo features all 14 colours of the Ponto Softbands. Designed to facilitate demonstration of the different colour options available.



176986

Display stand Ponto Softband The Display stand with Oticon Medical logo features all 14 colours of the Ponto Softband. Designed to facilitate demonstration of the different colour options available. It also includes a hook that can be used for displaying a complete band.



200837

Ponto colour sample kit

The kit contains six colour samples (look-a-likes) of Ponto Mini. Designed to facilitate demonstration of the different colour options available.




228236

Color selector, BAHS

The Color selector has colour chips that show the colour range of the Ponto sound processors.

Test



Fitting & Verification

Software



Genie Medical BAHS 2022.1

USB: **235639**

DVD: 235649

Ponto 4, Ponto 5 Mini and Ponto 5 SuperPower can be programmed using Genie Medical BAHS 2022.1 fitting software. The software can be used alone or with NOAH.

Software is distributed on USB and DVD.

Wireless programming devices such as Noahlink wireless and FittingLink 3.0 can be used for wireless programming.



M50504

Genie Medical fitting software

Ponto 3, Ponto 3 Power, Ponto 3 SuperPower and Oticon Medical Streamer can be programmed using the Genie Medical 2016.1 fitting software. The software can be used alone or with NOAH.

An Oticon #3, HI-PRO #3 or NOAHlink #2 programming cable is used to programme all sound processors. Please see Genie Medical or contact your local sales representative for more information about how to order the programming cable.

Skull simulator



Skull simulator (SKS10)

Interacoustics have developed a special skull simulator coupler for the Affinity. It offers clinicians the ability to perform technical measurements on the sound processor.*

Notes

Because sound matters

Oticon Medical is a global company in implantable hearing solutions, dedicated to bringing the power of sound to people at every stage of life. As part of the Demant Group, a global leader in hearing healthcare with more than 16,500 people in over 30 countries and users benefitting from our products and solutions in more than 130 countries, we have access to one of the world's strongest research and development teams, the latest technological advances and insights into hearing care.

Our competencies span more than a century of innovations in sound processing and decades of pioneering experience in hearing implant technology. We work collaboratively with patients, physicians and hearing care professionals to ensure that every solution we create is designed with users' needs in mind. We have a strong passion to provide innovative solutions and support that enhance quality of life and help people live full lives – now and in the future. Because we know how much sound matters.













Tel: +46 31 748 61 00

